

Author Index of Volume 83

- | | | | |
|------------------------|-----------------------|-----------------------|----------------------|
| Aguilar, R. 25 | Elkhatib, M. 219 | Luo, G.S. 55 | Rasool, E. 67 |
| Al-Duri, B. 15 | Elomar, F. 219 | | |
| Al-Jabari, M. 79 | | MacInnes, J.M. 165 | Sanaullah, K. 45 |
| Al-Khateeb, I. 79 | Fechete, I. 39 | Markatos, N.C. 95 | Saonam, T. 215 |
| Allen, R.W.K. 165 | Fernandez, G. 25 | Martin, H. 1 | Schneider, R. 85 |
| Alvarez-Ramirez, J. 25 | | Masiuk, S. 139 | Seidel, A. 123 |
| Ar, İ. 131 | Geboers, M.A.M. 107 | Meyer, M. 7 | Senol, A. 155 |
| Archer, E.D. 165 | Gonzalez, J. 25 | Mousa, H. 79 | Shiraishi, F. 175 |
| Armon, R. 123 | Górak, A. 85 | | Sridevi, U. 185 |
| | Graham, R.G. 33 | Negny, S. 7 | |
| Bache, D.H. 67 | | Netrbungon, W. 215 | Tabiś, B. 191 |
| Barron, M. 25 | Hills, J.H. 45 | Ngearnthaworn, O. 215 | |
| Bhaskar Rao, B.K. 185 | Holmes, W.M. 33 | | Walker, G.M. 201 |
| | | Packer, K.J. 33 | Wang, B. 145 |
| Chiu, M.-S. 145 | Kenig, E.Y. 85 | Panda, R.C. 1 | Weatherley, L.R. 201 |
| Ciubotaru, C. 39 | Kerkhof, P.J.A.M. 107 | Papayannakos, N. 95 | |
| | Khummongkol, D. 215 | Petrescu, S. 39 | Yang, X.-Y. 15 |
| Delalu, H. 219 | Koukou, M.K. 95 | Peyrot, L. 219 | |
| Dinjus, E. 207 | Kritzer, P. 207 | Pradhan, N.C. 185 | Zaidi, S.H. 45 |
| Doğu, G. 131 | | Prevost, M. 7 | Zank, J. 1 |
| Duriche, C. 219 | Liu, J.G. 55 | Ptasinski, K.J. 107 | Zhai, S.L. 55 |
| | | | Zimmels, Y. 123 |

Subject Index of Volume 83

Adsorption

- Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
- Adsorption by particles injected into a gas stream, 165
- Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201

Alamine 336

- Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155

AlCl₃-impregnation

- Kinetics of alkylation of benzene with ethanol on AlCl₃-impregnated 13X zeolites, 185

Alkylation

- Kinetics of alkylation of benzene with ethanol on AlCl₃-impregnated 13X zeolites, 185

Amino acids

- Selective recovery of amino acids by aqueous two-phase electrophoresis, 55

Analytical solution

- Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85

Aqueous two-phase system

- Selective recovery of amino acids by aqueous two-phase electrophoresis, 55

Axial dispersion model

- Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175

Baroeffect

- On the isothermal binary mass transport in a single pore, 107

Benzene ethylation

- Kinetics of alkylation of benzene with ethanol on AlCl₃-impregnated 13X zeolites, 185

Binary friction model

- On the isothermal binary mass transport in a single pore, 107

Biobleaching

- Mechanism of biobleaching of coal fly ash by *Thiobacillus thiooxidans*, 123

Bioprocess

- Mechanism of biobleaching of coal fly ash by *Thiobacillus thiooxidans*, 123

Bioreactor

- Sliding mode observer-based control for a class of bioreactors, 25

Branched pore diffusion model

- Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15

Bubbly flow

- A study of bubbly flow using resistivity probes in a novel configuration, 45

Calcination kinetics

- Calcination kinetics of high purity limestones, 131

Calcination rate

- Calcination kinetics of high purity limestones, 131

Carbon adsorbents

- Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201

Carbon particles

- Effect of physicochemical and hydrodynamic conditions on kinetics of carbon particles deposition on plastic particles, 79

Chloramine

- Synthesis of enriched solutions of chloramine starting from hypochlorite at high chlorometric degree, 219

Coal fly ash

- Mechanism of biobleaching of coal fly ash by *Thiobacillus thiooxidans*, 123

Coating

- Experimental investigation of droplet deposition on a single particle, 1

Corrosion

- An assessment of supercritical water oxidation (SCWO). Existing problems, possible solutions and new reactor concepts, 207

Deposition

- Effect of physicochemical and hydrodynamic conditions on kinetics of carbon particles deposition on plastic particles, 79

Diffusion

- Diffusion in surface-wetting films in a two-phase saturated porous solid characterised by pulsed magnetic field gradient NMR, 33

Diffusion–reaction coupling

- Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85

Diluent

- Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155

Dry sorption

- Adsorption by particles injected into a gas stream, 165

Dusty gas model

- On the isothermal binary mass transport in a single pore, 107

Dye aggregation

- Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201

Electrophoresis

- Selective recovery of amino acids by aqueous two-phase electrophoresis, 55

Energy balance

- Characteristics of turbulence in a multigrid mixer, 67

Energy dissipation

- Characteristics of turbulence in a multigrid mixer, 67

Eulerian time scale

- Characteristics of turbulence in a multigrid mixer, 67

Extraction equilibria

- Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155

Fast Fourier transform

- An improved on-line monitoring procedure for multiloop control systems, 145

- Film model
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
- Fluidized bed
Experimental investigation of droplet deposition on a single particle, 1
- Fluidized-bed reactor
Methanol synthesis in a fluidized-bed reactor coupled with an external heat exchanger. The effect of feedback deformation, 191
- Freundlich equilibrium relation
Adsorption by particles injected into a gas stream, 165
- Fritz–Schl nder isotherm
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
- General initial and boundary conditions
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
- Growth mechanism
Experimental investigation of droplet deposition on a single particle, 1
- Heat exchanger
Methanol synthesis in a fluidized-bed reactor coupled with an external heat exchanger. The effect of feedback deformation, 191
- Heat transfer coefficient
Heat transfer at solid melting in solutions, 39
- Ice melting
Heat transfer at solid melting in solutions, 39
- Impinger
Velocity profiles of air impinging on a two-dimensional confined rigid surface, 215
- Industrial-scale
On the importance of non-ideal flow effects in the operation of industrial-scale adiabatic membrane reactors, 95
- Isotherm analysis
Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201
- Kinetics
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
Kinetics of alkylation of benzene with ethanol on AlCl_3 -impregnated 13X zeolites, 185
- Laminar flow
Enhancement of absorption efficiency for a laminar film flow by hydrodynamic conditions generated by a new type of column wall, 7
- Langmuir model
Effect of physicochemical and hydrodynamic conditions on kinetics of carbon particles deposition on plastic particles, 79
- Limestone
Calcination kinetics of high purity limestones, 131
- Liquid–solid contacting operation
Dissolution of solid body in a tubular reactor with reciprocating plate agitator, 139
- Mass transfer
Dissolution of solid body in a tubular reactor with reciprocating plate agitator, 139
- Mass transfer parameters
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
- Maxwell–Stefan
On the isothermal binary mass transport in a single pore, 107
- Melting heat transfer
Heat transfer at solid melting in solutions, 39
- Melting mass transfer
Heat transfer at solid melting in solutions, 39
- Membrane
On the importance of non-ideal flow effects in the operation of industrial-scale adiabatic membrane reactors, 95
- Methanol
Methanol synthesis in a fluidized-bed reactor coupled with an external heat exchanger. The effect of feedback deformation, 191
- Microbial growth
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
- Modeling
Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155
- Module design
On the importance of non-ideal flow effects in the operation of industrial-scale adiabatic membrane reactors, 95
- Multicomponent diffusion
On the isothermal binary mass transport in a single pore, 107
- Multicomponent systems
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
- Multigrid oscillatory mixer
Characteristics of turbulence in a multigrid mixer, 67
- Multiloop control systems
An improved on-line monitoring procedure for multiloop control systems, 145
- $\text{NaOCl} \cdot 5\text{H}_2\text{O}$
Synthesis of enriched solutions of chloramine starting from hypochlorite at high chlorometric degree, 219
- Needle probes
A study of bubbly flow using resistivity probes in a novel configuration, 45
- Nicotinic acid
Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155
- NMR
Diffusion in surface-wetting films in a two-phase saturated porous solid characterised by pulsed magnetic field gradient NMR, 33
- Non-ideal flow
On the importance of non-ideal flow effects in the operation of industrial-scale adiabatic membrane reactors, 95
- Novel configuration
A study of bubbly flow using resistivity probes in a novel configuration, 45
- Numerical solution
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
- On-line monitoring procedure
An improved on-line monitoring procedure for multiloop control systems, 145
- Plastic spheres
Effect of physicochemical and hydrodynamic conditions on kinetics of carbon particles deposition on plastic particles, 79
- Pore structure
Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201
- Porous media
On the isothermal binary mass transport in a single pore, 107
- Reactor
An assessment of supercritical water oxidation (SCWO). Existing problems, possible solutions and new reactor concepts, 207

- Reciprocating plate agitator
Dissolution of solid body in a tubular reactor with reciprocating plate agitator, 139
- Resistivity
A study of bubbly flow using resistivity probes in a novel configuration, 45
- Reynolds number
Characteristics of turbulence in a multigrid mixer, 67
- Rigid surface
Velocity profiles of air impinging on a two-dimensional confined rigid surface, 215
- Salt plugging
An assessment of supercritical water oxidation (SCWO). Existing problems, possible solutions and new reactor concepts, 207
- Scale observers
Sliding mode observer-based control for a class of bioreactors, 25
- Shooting method
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
- Simulations
Sliding mode observer-based control for a class of bioreactors, 25
- Sliding mode
Sliding mode observer-based control for a class of bioreactors, 25
- Sodium hypochlorite
Synthesis of enriched solutions of chloramine starting from hypochlorite at high chlorometric degree, 219
- Solid-waste treatment
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
- Spray granulation
Experimental investigation of droplet deposition on a single particle, 1
- S-system
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
- Supercritical water oxidation
An assessment of supercritical water oxidation (SCWO). Existing problems, possible solutions and new reactor concepts, 207
- Superhigh-order accuracy
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
- Surface
Diffusion in surface-wetting films in a two-phase saturated porous solid characterised by pulsed magnetic field gradient NMR, 33
- Taylor series method
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
- Thiobacillus thiooxidans*
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
- Two-dimensional
Velocity profiles of air impinging on a two-dimensional confined rigid surface, 215
- Two-point boundary value problem
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
- Unsteady-state formulation
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
- Velocity
Velocity profiles of air impinging on a two-dimensional confined rigid surface, 215
- Vortex
Enhancement of absorption efficiency for a laminar film flow by hydrodynamic conditions generated by a new type of column wall, 7
- Wavy wall column
Enhancement of absorption efficiency for a laminar film flow by hydrodynamic conditions generated by a new type of column wall, 7
- 13X zeolite
Kinetics of alkylation of benzene with ethanol on AlCl_3 -impregnated 13X zeolites, 185

